IPLM Group, P.A. P.O. Box 18455 Minneapolis, MN 55418 612-331-7400 telephone 612-331-7401 facsimile



09/700,901

Ofe

**PATENT** 

## TRANSMITTAL LETTER

Attorney Docket No.	Serial No.	
158-P-C1553US	09/700,901	

Attn: Certificate of Correction Branch Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Certificate MAY 1 8 2005 of Correction

In re Patent of:	Peter Kuhlmann and Reinhard Winter	
Patent No.:	6,787,599 B1	
Issued:	September 7, 2004	
Title:	ALKYL RESIN EMULSIONS AND UTILIZATION OF THE SAME	
We are transmitting the following documents:		
•		

Please charge Deposit Account 50-0549 for any fees under 37 CFR §1.16 and §1.17 that may be required during the pendency of this application. This authorization includes the fee for any extension of time under 37 CFR §1.136(a) that may be necessary. To the extent any such extension should become necessary it is hereby requested.

		Respectivity submitted,
Registration No. 29,524	Direct Dial 612-331-7412	A ROLL
Date: May 13, 2005		David R. Cleveland
	Unit	ted States Patent and Trademark Office
Customer No. 23322		
Certificate of Mailing		
Pursuant to 37 CFR 1.8, I certify that this correspondence is being deposited in the United States mail, addressed to: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the below indicated date.		
		Signature Lynn K. Xule
Date of Mailing		Printed Name
May 13, 2005		Lynelle K. Grube

**PATENT** 



## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.:

6,787,599 B1

Docket:

158-P-C1553US

Issue Date:

September 7, 2004

Patentees:

Peter Kuhlmann and

Reinhard Winter

Title:

ALKYL RESIN EMULSIONS AND UTILIZATION OF THE SAME

## REQUEST FOR CERTIFICATE OF CORRECTION

Attn: Certificate of Correction Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. One copy of the text of the Certificate in the suggested form is enclosed.

As some of the errors listed are due to Applicant's mistake, our check in the amount of \$\\$ is enclosed to cover the Certificate fee.

As none of the errors listed is due to Applicants' mistake, no fee is necessary in connection with this Certificate.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims, and re-examination is not required.

Respectfully submitted on behalf of Peter Kuhlmann et al.,

By:

David R. Cleveland Reg. No.: 29,524 IPLM Group, P.A.

Post Office Box 18455 Minneapolis, MN 55418

Telephone (612) 331-7412

DRC:lkg

PRINTER'S TRIM LIN

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,787,599 B1

PAGE 1 of 1

DATED

: September 7, 2004

INVENTOR(S): Peter Kuhlmann and Reinhard Winter

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

## Column 4

Line 19, "diisocyanate" should read--diisocyanate--

Line 20, "4-chloro-11,3-phenyldiisocyanate" should read --4-chloro-1,3-phenyldiisocyanate--

Line 30, "16-hexamethylene" should read --1,6- hexamethylene--

Line 38, "diphenylmethane4,4'-diisocyanate" should read --diphenylmethane-4,4'-diisocyanate--

Line 56, "ethylamnine" should read --ethylamine--

Line 57, "dimethylethylaamine" should read --dimethylethylamine--

Line 59, "dimethylethylarninopropanol" should read --dimethylarninopropanol--

Line 64, "dimethylethylarine" should read --dimethylethylamine--

Line 64, "dimethylisopropylarnine" should read --dimethylisopropylamine--

#### Column 5

Line 5, "armines" should read --amines--

Line 65, "arnines" should read --amines--

#### Column 6

Line 65, after "can" and before "processed" insert --be--

### Column 7

Claim 1, Line 15, "pre-react" should read --pre-reacted--

MAILING ADDRESS OF SENDER:

IPLM Group, P.A. Post Office Box 18455 Minneapolis, MN 55418 Docket No.

PATENT NO. 6,787,599 B1 158-P-C1553US

No. of add'I copies @ 50¢ per page ⇒